



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/685,305	10/10/2000	Kean M. Anspach	A148 1540 (16164.0590.)	4349

7590 07/17/2002

Jeffery B. Arnold Esq
Womble Carlyle Sandridge & Rice PLLC
PO Box 725388
Atlanta, GA 31139-9388

[REDACTED] EXAMINER

CHANG, VICTOR S

ART UNIT	PAPER NUMBER
1771	6

DATE MAILED: 07/17/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	09/685,305	ANSPACH, KEAN M.
	Examiner Victor S Chang	Art Unit 1771

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on ____.
 2a) This action is **FINAL**. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 18-34 is/are pending in the application.
 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
 5) Claim(s) ____ is/are allowed.
 6) Claim(s) 18-34 is/are rejected.
 7) Claim(s) ____ is/are objected to.
 8) Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on ____ is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 11) The proposed drawing correction filed on ____ is: a) approved b) disapproved by the Examiner.
 If approved, corrected drawings are required in reply to this Office action.
 12) The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. ____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
 * See the attached detailed Office action for a list of the certified copies not received.
 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
 a) The translation of the foreign language provisional application has been received.
 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). ____ . |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) ____ . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
2. Claims 18-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Keely et al. in view of the admitted prior art, substantially for the reasons set forth in section 3 of Paper No. 3, together with the following additional observations.

With respect to Applicant's Response arguing that Keely does not teach or suggest the claimed crush resistance value of at least about 10 psi for the non-adhesive particles (Applicant's claim 18 and Response, page 4, paragraph 4), the Examiner would like to point out that Keely teaches that for the preferred hollow glass bubbles 106, there is an eighty percent (80%) survival at a pressure of 250 psi. (column 6, lines 29-33).

Further, Applicant argues that Keely is directed to repositionable wall coverings, while the instant invention is directed to preventing an article from sticking to an adjacent article during storage and under certain loads (Applicant's claim 18 and Response, page 4, paragraph 4). The Examiner would like to point out that Keely's repositionable wall coverings are pressure-sensitive based, in addition to prevent premature adherence to the wall, Keely's non-adhering hollow glass bubbles also inherently prevent the covering from sticking to an adjacent article during storage and under certain loads.

Furthermore, Applicant argues that Keely does not teach or suggest the use of other than hollow glass bubbles embedded into an adhesive layer (Applicant's claim 18 and Response, page 4, paragraph 4). It is noted that Applicant has not recited any specific material limitation on the "non-adhesive particles" in claims 18-34.

Lastly, Applicant argues that Keely does not disclose particles embedded within an adhesive layer for preventing tiles from adhering to each other during storage (Response, page 5, paragraph 2). It is noted that Applicant has not recited any specific use limitation in claims 18-34. Additionally, the Examiner takes Official notice that it is known that repositionable adhesive covering has been used for floor covering as well (Danielson et al., US 3331729).

3. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Victor S Chang whose telephone number is 703-605-4296. The examiner can normally be reached on 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel H Morris can be reached on 703-308-2414. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9310 for regular communications and 703-872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

VSC
July 10, 2002

DANIEL ZIRKER
PRIMARY EXAMINER
GROUP 1300-
1700

Daniel Zirker